

# ARDON® BREXX

BELT



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**



TECHNICAL DATA SHEET



**ARDON**<sup>®</sup>  
**WORKWEAR**  
& **OUTDOOR**

# ARDON<sup>®</sup> BREXX

BELT

<b>ARTICLE</b>	H9063
<b>MATERIAL</b>	40% polyurethane, 60% recycled leather
<b>SIZE</b>	125 cm

## DESCRIPTION

Men's belt made of eco-leather with a robust metal buckle, roughcut design, precise workmanship, the length of the belt can be easily shortened.

This personal protective equipment is in conformity with the requirements of the following harmonised standard:

**ČSN EN ISO 13688:2013** – Protective clothing - General requirements  
PPE of simple design against the minimum risks that may be quickly and safety recognised by the user.

The self-certification was carried out on the basis of the technical documentation of the product and practical tests of ergonomics properties of the product by Ardon Safety s.r.o. on 25th September 2023.

TECHNICAL DATA SHEET

<b>NUMBER OF PIECES IN CARTON</b>	100 pcs
<b>CARTON WEIGHT</b>	20 kg
<b>CARTON SIZE</b>	0,085m <sup>3</sup>
<b>UNIT PACKAGING</b>	1 pc



The service life depends on the rate of use and the rate of wear in the given conditions. Inappropriate storage conditions, improper maintenance and care reduce the service life. The warranty period is 24 months. Under no circumstances should the warranty period be confused with the service life of the product. With intensive use, the service life may be shorter than the warranty provided.

The product does not contain any substances in concentrations that are known or suspected to have an adverse effect on the user's hygiene or health. However, skin irritation is not impossible for sensitive people, in which case do not continue to use the garment. Avoid the fire and sources of intense heat. No accessories or replacement parts are intended for these garments. If the garment is not in use, it is recommended to store it in a dry and well-ventilated area away from direct sunlight. Transport best in original packaging, protect from moisture and extreme temperatures. Dispose ecologically after use.

