

# Classic filament LED candles and lusters



# CLA LEDCandle ND 4.3-40W E14 840 B35 CL

Featuring a classic heritage design, Classic filament LED candles and lusters combine the familiar shapes of classic incandescent candle or luster with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light candles and lusters.

#### **Product data**

General Information	
Cap-Base	E14 [E14]
Nominal lifetime	15,000 hour(s)
Switching Cycle	20,000
Lighting Technology	LED
Flux measurement reference	Sphere
EU RoHS compliant	Yes
Light Technical	
Color Code	840 [CCT of 4000K]
Luminous Flux	470 lm
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	109.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Line Frequency	50 to 60 Hz

Input Frequency	50 to 60 Hz
Power Consumption	4.3 W
Lamp Current (Nom)	40 mA
Wattage Equivalent	40 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.48
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	55 ℃
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Clear
Bulb Shape	B35 [B 35mm]

Datasheet, 2023, November 22 data subject to change

# Classic filament LED candles and lusters


Approval and Application	
Energy Efficiency Class	F
Energy Consumption kWh/1000 h	5 kWh
EPREL Registration Number	387417
Product Data	
Order product name	CLA LEDCandle ND 4.3-40W E14 840 B35 CL
Full product name	CLA LEDCandle ND 4.3-40W E14 840 B35 CL
Full product code	871869964825100

Order code	929002024302
Material Nr. (12NC)	929002024302
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718699648251
Numerator - Packs per outer box	10
EAN/UPC - Case	8718699648268


### Dimensional drawing

Product	D	С
CLA LEDCandle ND 4.3-40W E14 840 B35 CL	35 mm	97 mm


#### Photometric data



Spectral Power Distribution Colour - CLA LEDCandle ND 4.3-40W E14 840 B35 CL




Accent Lighting Spots - CLA LEDCandle ND 4.3-40W E14 840 B35 CL




Light Distribution Diagram - CLA LEDCandle ND 4.3-40W E14 840 B35 CL

### Classic filament LED candles and lusters

#### Lifetime





Life Expectancy Diagram - CLA LEDCandle ND 4.3-40W E14 840 B35 CL

Lumen Maintenance Diagram - CLA LEDCandle ND 4.3-40W E14 840 B35 CL

